

PICANet Level 3 Outlier Policy

PICANet detection and management of potential Level 3 Paediatric Critical Care Unit outliers

V4.0

Aug 2024

Authors:

Hannah Buckley, PICANet Senior Statistician, University of Leeds

Chris Leahy, PICANet Statistician, University of Leeds

Hannah Lever, PICANet Senior Project Manager, University of Leeds

On behalf of the PICANet Team

Contents

1		INTRODUCTION	3
2		CHOICE OF PERFORMANCE INDICATOR	4
3		STATISTICAL METHODS FOR OUTLIER DETECTION	4
	3.1	DATA CLEANING PRIOR TO OUTLIER EXPLORATION	4
	3.2	METHODS FOR MONITORING MORTALITY	5
		3.2.1 RSPRT plots and interpretation	5
		3.2.2 Standardised Mortality Ratios (SMRs)	6
	3.3	FORMAL OUTLIER ANALYSIS	6
4		IDENTIFICATION AND MANAGEMENT OF POTENTIAL OUTLIERS	7
	4.1	IDENTIFICATION OF A POTENTIAL NEGATIVE OUTLIER — 'ALARM' STATUS	7
	4.2	IDENTIFICATION OF A POTENTIAL POSITIVE OUTLIER	7
	4.3	'ALERT' STATUS	7
	4.4	NON-PARTICIPATION STATUS	8
5		PUBLICATION OF OUTLIER ANALYSIS RESULTS	8
6		REFERENCES	9
7		RELATED DOCUMENTS	9
8		APPENDIX A – MANAGEMENT PROCESS FOR POTENTIAL NEGATIVE OUTLIER	10
9		APPENDIX B - MANAGEMENT PROCESS FOR POTENTIAL POSITIVE PERFORMA	
0	UTLI	IERS	27
1()	APPENDIX C - MANAGEMENT PROCESS FOR 'ALERT' STATUS	35
11	I	APPENDIX D - PERFORMANCE INDICATOR CONSIDERATION	41
12	2	APPENDIX E – MULTIPLE TESTING	47
1:	3	APPENDIX F - DOCUMENT AND REVIEW HISTORY	49

This policy is reviewed and updated annually, prior to the analysis for the PICANet State of the Nation Report.

This version of the policy is applicable from the **2024 State of the Nation Report** until further notice. Document history and review sign-off can be found in Appendix F. Any substantial changes made to this document have been presented to the PICANet Clinical Advisory Group for discussion prior to publication.

1 Introduction

PICANet is part of the National Clinical Audit and Patient Outcomes Programme (NCAPOP), for England, established to monitor and review outcomes of treatment episodes, amongst other objectives. As part of this monitoring and review process we identify healthcare providers whose performance falls outside defined limits, referred to as outliers, which may reflect poorer or better performance. PICANet also collects data from Wales, Scotland, Northern Ireland and the Republic of Ireland; this policy details the identification and management of potential outliers for healthcare providers providing Level 3 care (i.e. paediatric intensive care units) who submit data to PICANet.

In this document, the term healthcare provider is used to refer to designated level 3 paediatric intensive care units (PICUs), or, where the metric relates to transport, centralised transport services (CTS) / Specialist Paediatric Transport Services (SPTS).

Outlier detection should be based on a valid performance indicator which has a clear relationship between the indicator and quality of care, and relates to events that occur frequently enough to give statistical power (1). Choice of expected performance level (or target) needs careful consideration. Furthermore, it is possible to base targets on external sources such as the Paediatric Critical Care Society (PCCS) Standards¹ (2) or the NHS England Specialised Services PICU Quality Dashboard (3), or to base them on internal data, such as average performance of all healthcare providers.

This document considers which performance indicators could be used within the audit to identify healthcare providers that are performing outside of an expected range and documents the process to be followed after a potential outlier has been identified.

¹ Paediatric Critical Care Society (PCCS) previously known as Paediatric Intensive Care Society (PICS).

2 Choice of performance indicator

PICANet currently reports annually on the following key metrics in relation to healthcare provider performance:

- Case ascertainment and timeliness of data completeness
- Specialist paediatric transport services (SPTS) emergency retrieval mobilisation times
- Emergency readmission within 48 hours
- Unplanned extubations in PICU
- Risk-adjusted in-PICU mortality.

Whilst all the measures considered are useful in terms of the wider audit, on consideration of the information documented, it is felt at present that risk-adjusted mortality is the only suitable performance indicator for outlier detection. PICANet will review the data quality of unplanned extubations and assess the suitability of including this key metric in the formal outlier analysis in future. Appendix D Table 1 shows details of how this decision was reached based on the PICANet team's current assessment of relative merits of detecting potential outliers based on each of the above outcomes.

3 Statistical methods for outlier detection

3.1 Data cleaning prior to outlier exploration

PICANet undertake detailed data cleaning prior to any analysis. Additionally regular validation emails are circulated to PICUs which include identification of data quality issues on a more real time basis. In brief, this includes examining relevant fields (such as PIM data and mortality information), for: completion rates; values being within range; and outstanding database validations. Where appropriate, queries are sent to the data provider to confirm or amend their data. For transparency, PICANet publish data completeness and case ascertainment in the annual State of the Nation Report.

If a provider has more than 5% of its admission events (within a reporting period) with missing or unknown status at discharge (rather than alive or dead), then the relevant PICANet lead for the provider will be given written notification that their data completeness on this field requires improvement. The provider should review their data and correct any inaccuracies or provide further information where possible. If, following this, a provider continues to have missing or unknown status at discharge for more than 5% of its admission events, it will be considered for exclusion from the outlier analysis on the basis of poor data quality. Such status will be reported to the provider Clinical Lead and, for providers in England, to the Care Quality Commission (CQC) as part of the National Clinical Audit Benchmarking (NCAB) Programme

submission (4). Any exclusions from analysis due to data quality will be publicly reported through documentation in the annual State of the Nation Report.

3.2 Methods for monitoring mortality

PICANet uses two main methods for monitoring mortality:

- 1) Risk-adjusted resetting probability ratio test (RSPRT) plots providing monitoring on a 'real-time' basis;
- 2) Risk-adjusted standardised mortality ratios (SMRs) calculated annually.

3.2.1 RSPRT plots and interpretation

In addition to the annual formal outlier analysis, providers are able to access PICU specific risk-adjusted mortality data in real time via risk-adjusted resetting probability ratio test (RSPRT) plots (5). RSPRT plots present PIM3-adjusted mortality data on a cumulative basis allowing trends in mortality to be seen. Unlike SMRs which provide a comparison between observed and expected mortality, RSPRT plots are based on the cumulative log-odds of mortality; summation of the log-odds begins in 2016 (when PIM3 was routinely collected in all participating units) and continues until the plot resets, at which point the cumulative log-odds are reset to zero and summation restarts.

The RSPRT plot is presented in two halves: the cumulative log-likelihood of the odds of mortality doubling is plotted on the top half of the graph (indicating that odds of mortality in a given unit are higher than expected) and the cumulative log-likelihood of the odds of mortality halving is plotted on the bottom half of the graph (indicating that odds of mortality are lower than expected). Two sets of control limits are used, indicated by two pairs of lines with less stringent threshold limits displayed as a yellow/orange line and more stringent limits as red lines. If either half of the graph crosses a red threshold line then further investigation is required; if the plot stays between the orange and red for three consecutive months then close monitoring is required. Providers are prompted to review their RSPRT plot on a quarterly basis. The interpretation and action required by PICUs are based on three possible scenarios which are detailed in "PICANet's RSPRT guidance for units" document (6).

RSPRT plots provide an indication that a provider may be heading towards becoming an outlier (positive or negative), but do not mean that a provider will necessarily be identified as a potential outlier in the formal outlier analysis which is based on standardised mortality ratios rather than log-odds. Providers can access RSPRT plots at any time via PICANet Web and additionally the plots are reviewed by PICANet and sent to units every quarter and are

categorised into: satisfactory; cause for close monitoring; or, cause for concern indicating internal review. We will also inform them if there was insufficient data to assess their RSPRT plot fully. RSPRT plots may be published in the State of the Nation Report or associated Tables and Figures in specific cases; providers will be notified prior to publication via email if this is the case.

3.2.2 Standardised Mortality Ratios (SMRs)

Risk-adjusted standardised mortality ratios (SMRs) are estimated for each PICU on an annual basis; risk-adjustment is undertaken via a recalibrated Paediatric Index of Mortality Version 3 (PIM3) (7).

Risk-adjusted SMRs compare the number of observed deaths in PICU with the number of deaths expected based on the specific case-mix for that unit. An SMR of one indicates that the number of observed deaths were equal to the number of expected deaths; an SMR of greater than one indicates more deaths were observed than expected; and, an SMR of less than one indicates fewer deaths were observed than expected.

The SMRs are presented graphically via funnel plots (8), which, in brief, plot the risk-adjusted SMRs on the y-axis against the number of admissions on the x-axis. Control limit lines show the range of expected values for each unit's SMR assuming mortality is within the expected range and taking into account the inherent variability in mortality and the precision of each SMR estimate. Points falling outside of the control limits indicate either unusual excess mortality (for those falling above the upper limit), or unusual low mortality (for those falling below the lower limit). Control limits of 99.9% are set around the target performance (an SMR of one) for each provider on the associated funnel plot; these take into the account the number of admissions each unit has and the increased uncertainty a small number of admissions brings inherently into the calculations. PICANet do not present 95% control limits due to the impact of multiplicity on false identification rate (see Appendix E for further detail).

3.3 Formal outlier analysis

Detection and management of potential outliers is undertaken for all Level 3 PICUs providing data to PICANet (i.e. NHS and private PICUs in England, and PICUs in Wales, Scotland, Northern Ireland, and the Republic of Ireland) following the process outlined in this policy and is based on risk-adjusted standardised mortality ratios and associated funnel plots.

The formal outlier analysis includes admissions to participating PICUs for children aged 0-15 years within the three-year reporting period unless otherwise stated; patients aged 16+ or of unknown age are excluded from this analysis as PIM3 (7) was devised and validated on this 0-15 year old population.

Details of sensitivity analyses performed on the formal outlier analysis can be found in the Statistical Analysis Plan.

4 Identification and management of potential outliers

Whilst the identification of negative potential outliers is of utmost immediate importance, it is also necessary to identify positive potential outliers in order to acknowledge excellent performance where appropriate and to enable sharing and identification of best practice. Bodies like the CQC can use positive outliers as examples of good practice and to inform inspections.

4.1 Identification of a potential negative outlier - 'alarm' status

Any provider which falls above the upper control limit on the formal outlier analysis funnel plot would be considered a potential negative outlier. This would trigger an 'alarm' status requiring further investigation through PICANet's potential negative outlier management process. The process is adapted from HQIP guidance (1) but is applicable to all Level 3 PICUs regardless of location; PICANet will work with the PICU to confirm via data quality assurance and understand the negative outlier status as well as inform any relevant bodies as detailed in Appendix A Tables 1 and 2.

4.2 Identification of a potential positive outlier

Any provider which falls below the lower control limit on the formal outlier analysis would be considered a potential positive outlier. PICANet will work with the PICU as detailed in Appendix B Table 1 to confirm and understand the positive outlier status and identify any potential good practice underpinning this for knowledge sharing as detailed in Appendix B Table 1; again this process applies to all Level 3 PICUs regardless of location.

4.3 'Alert' status

The formal outlier analysis will be repeated including admissions to participating PICUs for children aged 0-15 years within the most recent year of the reporting period only. This analysis is likely to include smaller numbers of admissions (given only one year's worth of data is

considered) and hence lower precision will be seen in SMR estimates, therefore confidence intervals should be considered in conjunction with control limits.

Any provider which falls outside the upper control limit in this analysis would have an 'alert' status raised and the 'alert' status management process detailed in Appendix C Table 1 would be followed. The process is adapted from HQIP guidance (1) but is applicable to all Level 3 PICUs regardless of location.

4.4 Non-participation status

Any designated Level 3 PICU which does not provide any data for one or more metrics, where eligible cases are in the cohort, will be flagged as an outlier due to non-participation. The introduction of non-participation status has been led by HQIP for PICUs within NHS England (1). However, it is applicable to all Level 3 PICUs regardless of location.

Any PICU identified as having non-participation status will be included in the State of the Nation report with results for any associated metrics flagged with 'Data not submitted by the healthcare provider'. It is not anticipated this will be an issue in PICANet due to 100% coverage and high levels of engagement from providers. If any non-participation cases should arise, PICANet will liaise and work with the provider to try to re-establish participation. Should the situation be non-rectifiable, Appendix A of HQIP's 2024 Outlier Guidance will be consulted for further guidance on reporting (1).

5 Publication of outlier analysis results

Results from outlier analysis are published each year in the State of the Nation report which is freely available online. Results will be published regardless of whether investigations into outlier status are complete or not; any reports provided post publication will be added as an addendum or footnote to the State of the Nation report. Published results will identify providers:

- confirmed as positive outliers;
- confirmed as negative outliers;
- who had an 'alert' status raised;
- excluded from analysis due to insufficient data quality;
- with a non-participation status.

For providers in England, results from the outlier analysis will also be published as part of the NCAB programme (4).

6 References

- 1. Healthcare Quality Improvement Partnership (HQIP). NCAPOP Outlier Guidance, Identification and management of outliers, January 2024. 2024 [Available from: https://www.hqip.org.uk/outlier-management-for-national-clinical-audits.
- 2. Paediatric Critical Care Society (PCCS). Quality Standards for the Care of Critically III or Injured Children (6th edition, October 2021). 2021 [Available from: http://picsociety.uk/about-pics/pics-standards/.
- 3. NHS England. Specialised Services Quality Dashboard [cited 2024 July]. Available from: https://www.england.nhs.uk/commissioning/spec-services/npc-crg/spec-dashboards/.
- 4. Paediatric Intensive Care Audit Network (PICANet). National Clinical Audit Benchmarking (NCAB): Paediatric Intensive Care Audit 2022 [Available from: https://ncab.hgip.org.uk/reports/card/audits/picanet/.
- 5. Grigg OA, Farewell V, Spiegelhalter D. Use of risk-adjusted CUSUM and RSPRTcharts for monitoring in medical contexts. Statistical methods in medical research. 2003;12(2):147-70
- 6. Paediatric Intensive Care Network (PICANet). RSPRT Guidance for units, v1.0 September 2022. 2022 [Available from: https://www.picanet.org.uk/wp-content/uploads/sites/25/2022/10/RSPRT-Guide-for-units-v1.0-Sep-2022-1.pdf.
- 7. Straney L, Clements A, Parslow RC, Pearson G, Shann F, Alexander J, Slater A. Paediatric index of mortality 3: an updated model for predicting mortality in pediatric intensive care. Pediatric Critical Care Medicine. 2013;14(7):673-81.
- 8. Spiegelhalter DJ. Funnel plots for comparing institutional performance. Statistics in medicine. 2005;24(8):1185-202.
- 9. NHS England. Specialised Services Quality Dashboard: Paediatric Intensive Care (PICU) Metric Definitions 2021/22 2021 [Available from: https://www.england.nhs.uk/wp-content/uploads/2021/05/metric-definitions-level-3-paediatric-critical-care-2122.pdf.
- 10. Healthcare Quality Improvement Partnership (HQIP). Paediatric Intensive Care Network Audit (PICANet) Context Page [Available from: https://ncab.hqip.org.uk/paediatric-intensive-care-network-audit-picanet-context-page/.
- 11. Paediatric Intensive Care Audit Network (PICANet). Table 4.4 PICANet State of the Nation Report 2023: Tables and Figures Outcomes and SMRs. 2023 [Available from: https://www.picanet.org.uk/annual-reporting-and-publications/.
- 12. Paediatric Intensive Care Audit Network (PICANet). PICANet State of the Nation Report 2023. 2023 [Available from: https://www.picanet.org.uk/wp-content/uploads/sites/25/2023/12/PICANet-State-of-the-Nation-Report-2023_v1.0-14Dec2023.pdf.

7 Related documents

- 1. PICANet RSPRT Guidance for units
- 2. PICANet Statistical Analysis Plan
- 3. PICANet Key Metric Definitions

8 Appendix A – Management process for potential negative outlier

Appendix A Table 1: Management process for potential negative outliers

Stage	What action? Ne	gative outlier process	Who?	Timelines
1	PICANet internal checks Where a performance indicator 'alarm' (i.e. potential outlier) is raised it is important that undertake internal checks relating to data hanalyses performed to ensure there is no elecausing the status. The internal checks PIC should include, but are not limited to,: • Validation of statistical programs to check programming errors; • Review of provider data quality and come relevant fields (including PIM variables a status); • Review of data to identify any potential of potential outlier status such as errors, disconsistent adjustment, differences compared with an and/or changes over the reporting period include: • case-mix of patients; • proportion of admissions discharticare; • highest level of care provided dualefined by HRG grouping; • observed deaths; • expected deaths; • sMR; • data quality; • missing data; Cont.	PICANet andling and fror in analysis CANet undertake ck for bugs and/or apleteness for and unit discharge drivers for the ata completeness, ability of risk national averages d. Analyses may	PICANet	Within 10 working days

Stage	What action?	Negative outlier process	Who?	Timelines
	 clinical characteristics of the example, primary reason for descriptive characteristics of for example, age distribution key data of interest, for example, age distribution any other analyses deemed Potential outlier status not maintained - por remains. Proceed to Stage 2a.	PICU admission; If the PICU population, If of patients; Inple, healthcare It, unplanned It dmissions, length of It pertinent. It potential outlier status It updated; details		

Stage	What action?	Negative outlier process	Who?	Timelines
2a	Provider notified of potential outlier state. The Lead Clinician at the provider organisi informed by phone of the potential outlier followed up by a letter formally notifying the The formal letter will include: • Notification of potential negative of yet to be confirmed; • Reference to where the PICANet found and details of where we are process; • A suggestion that the Lead Clinical Audit team who may be able to assist we process. • A request for the provider to: • confirm the accuracy and data submitted to PICANet order to ensure the statistic outlier status); • comment on the analyses notification; • provide any explanation(s) outlier status;	sation should be status. This must be ne provider. Outlier status which is outlier policy can be up to in the an considers and Effectiveness with the response and completeness of t (this is required in cal validity of the provided in the	PICANet Co-PIs & Senior Statistician	Within 5 working days

Stage	What action?	Negative outlier process	Who?	Timelines
	Relevant data and analyses from Stage 1 available to the Lead Clinician to assist wi include, but will not be limited to: • Sensitivity analyses as detailed in Analysis Plan; • A description of case-mix companaverages; • Details of palliative care discharge national averages; • PIM score completeness and export may influence the potential outlier • PIM score summaries and a list of with low PIM scores where the parafurther exploration. A copy of the letter should be sent to the Collinical Advisory Group and the PICANet	the Statistical ed with national es compared with lanation of how this status; f event IDs for cases tient died in PICU for		

Stage	What action?	Negative outlier process	Who?	Timelines
2b	Contact details for relevant bodies check Should any provider be identified as a poutlier, PICANet will contact relevant bodies geographical locations (see Stage 5b and 2) to confirm: • contact details are correct; • any named individual is still the receive any future notifications; • to request a specific individual to generic email has been provided. Relevant bodies in all geographical locate to prevent accidental early disclosure of with only one provider in the PICANet and Should no response be received a follow after 10 working days and, if required, or original email was sent. Should no response be received PICAN any future notifications to the email additable 2 to avoid delays to the outlier process.	cotential negative dies in all and Appendix A Table correct person to and, a contact where a d. A contact where a d. A contact where a d. A contact will be contacted foutliers in countries audit. We write a dies will be sent and me month after the diet will proceed to send resses in Appendix A	PICANet Senior Project Manager	Within 20 working days

Stage	What action?	Negative outlier process	Who?	Timelines
3	Provider response to potential outlied. Lead Clinician to respond to the notificat. The response should include: Details of data checks undertaked inaccuracies or missing data were action taken to address data isses. Confirm that data submitted was and validated (specifically in releast and discharge status); Any comments on the statistical example, whether the negative driven by case-mix, palliative casetc.; Any explanations for the potential. Any other information deemed in outlier status.	en, whether ere found and any sues; s complete, accurate ation the PIM variable I analyses provided, for outlier status may be are discharge practice, ial outlier status; elevant or pertinent; al Clinical Audit and	Provider Lead Clinician	Within 25 working days

Stage	What action?	Negative outlier process	Who?	Timelines
	PICANet review of response			
	PICANet will provide a copy of the letter for Chair of the PICANet Clinical Advisory Grand PICANet Clinical Advisor. With clinical input as required, PICANet to Lead Clinician's response to determine: Outlier status not maintained - original data containing inaccuracies and re-analysis not containing inaccuracies and results.	oup and the oundertake review of ta confirmed as o longer indicates		
4	outlier status. In this case, data and redetails formally recorded by PICANet anotified in writing. Lead Clinician is ask reasons why the original data was inaccordenses have been put in place to moccurring again in the future. Process	ed to respond with curate and what itigate the risk of this	PICANet	Within 20 working days
	Outlier status maintained Confirmation of statistical outlier statu Original data confirmed as containing inactanalysis still indicates outlier status OR or as accurate confirming the initial designate Proceed to Stage 5a.	ccuracies but re- riginal data confirmed		

Stage	What action?	Negative outlier process	Who?	Timelines
5a	Provider notified of confirmed statistic Lead Clinician contacted by telephone a confirmed statistical outlier status. This is a letter formally notifying the provider CE. The formal notification will include: Confirmation of statistical negative of Reference to where the PICANet out found and details of where we are upon and details of where we are upon and details of where we are upon and providers; Notification of the date of State of the publication and permission to share statistical outlier status in confidence their regional network before publication and permission to share statistical outlier status in confidence their regional network before publication and permission to share statistical outlier status in confidence their regional network before publication and permission to share statistical outlier status in confidence their regional network before publication and permission to share statistical outlier status in confidence their regional network before publication and permission to share statistical analy. All relevant data and statistical analy. A summary of previous corresponde from the Lead Clinician provided in Sepotential explanations for the status; Notice that PICANet will be contactind detailed below in 5b based on location. Advice on which relevant bodies the (as detailed below in 5b based on location.)	nd notified of must be followed up by EO of the status. utlier status; dier policy can be to in the process; CANet will be experience that will be experience that will be with individuals within tion but not with other util the State of the ses as an attachment; ance and the response Stage 3 including any arg relevant bodies (as on of provider); CEO needs to inform	PICANet Co-PIs	Within 5 working days

Stage	What action?	Negative outlier process	Who?	Timelines
Stage	 For providers in England only: a requengage with their CQC local team an expect from the CQC ² A suggestion that the provider's may update their local Clinical Audit and England the confirmed outlier status. Advice that the Medical Director and initiate a review and provide outcome proposed to PICANet to be published analysis results in the State of the Naprovider is located in England then a outcomes and actions should also be CQC; Should any report not be available at 	rest that the provider d details of what to want to involve / Effectiveness team of Lead Clinician should and actions d alongside the outlier ation Report. If the copy of the review e provided to the	WIIO:	
	 publication of the State of the Nation added as an addendum or footnote with the Notification that, should no response PICANet will report this alongside the results. 	when available; be received, then		
	 A request for acknowledgement of reconfirmation that a review will be und Where the provider is located in Englic CQC must be copied into the CEO's receipt (Stage 6). 	lertaken; and, advice that the		
	Cont.			

² The CQC will, during their routine local engagement with provider: i) encourage providers to identify any learning from their performance and provide CQC with assurance that the provider has used the learning to drive quality improvement; ii) ask the provider how they are monitoring or plan to monitor their performance; iii) monitor progress against any action plan if one is provided.

Stage	What action?	Negative outlier process	Who?	Timelines
	A copy of the letter will be sent to the Le Medical Director, the Chair of the PICAN Group and the PICANet Clinical Advisor	let Clinical Advisory		

Stage	What action?	Negative outlier process	Who?	Timelines	
	Relevant bodies informed of confirm	outlier status			
	Relevant bodies informed (based on who contact details can be found in Appendia All organisations should confirm receipt PICANet will ensure all email addresses confirmed prior to sending any specific is Stage 2b). Following notification of relevant bodies to public disclosure of comparative infor providers as negative outliers in the Star Report. Relevant bodies by location of providers as a provider by location of providers and providers as a provider by location of providers and providers and providers by location of providers and providers and providers by location of providers and providers and providers by location of providers and providers an	of the notification. s and recipients are nformation (as per PICANet will proceed mation that identifies te of the Nation			Within 5 working
5b	England (NHS): PICANet to inform CQC [†] and HQIP [*] PICANet advise provider CEO to inform NHS England and Royal College of Health. † Using the CQC outlier template available from https://www.lnational-clinical-audits/. * Inform HQIP via email prior to, or at the same time as, notifyitengland (non-NHS): PICANet to inform CQC [†] PICANet advise provider CEO to inform and Royal College of Paediatrics and † Using the CQC outlier template available from https://www.national-clinical-audits/. Cont.	orm commissioners, Paediatrics and Child naip.org.uk/outlier-management-for- ng CQC. orm commissioners d Child Health.		days concurrently with Stage 5a	

Stage	What action?	Negative outlier process	Who?	Timelines
	 Wales PICANet to inform the Welsh Government Health Specialised Services Committed Inspectorate Wales. PICANet advise provider CEO to infool Improvement Cymru and Royal Colled Child Health. Scotland PICANet to inform National Specialists 	ee and Healthcare rm commissioners, ge of Paediatrics and		
	Directorate (NSD), NHS National Ser- Healthcare Improvement Scotland. • PICANet advise provider CEO to info and Royal College of Paediatrics and Northern Ireland	rm commissioners,		
	 PICANet to inform Health and Social Planning and Performance Group of the Health (SPPG) and The Regulation and Improvement Authority (RQIA). 	the Department of nd Quality		
	 PICANet advise provider CEO to info Health and Social Care Quality Impro Royal College of Paediatrics and Chil ROI 	vement (HSCQI) and		
	 PICANet to inform National Office of (NOCA). PICANet advise provider CEO to info and relevant Royal Colleges. 			

Stage	What action?	Negative outlier process	Who?	Timelines
6	Provider CEO to provide acknowledge Acknowledgement of receipt sent from prediction provider. For NHS England PICUs, the copy in the CQC in line with HQIP guidar. The acknowledgement should, as a mining acknowledgement should be undertaked. An investigation will be undertaked acknowledgement acknowledgement acknowledgement acknowledgement. If the provider is located in Englar that the provider will engage with and provide the CQC with a copy outcomes and actions. As a minimum, the investigation should be independent assurance of the validity of the strongly recommended that a member of Advisory Group (CAG) is consulted. Ideally, the investigation would be independent undertaken by an expert panel of clir Publication will not be delayed whilst wait to be completed by the provider. A report findings, recommendations and actions we state of the Nation Report as an addendent it becomes available from the provider. Cont.	ement of receipt rovider CEO to provider CEO must face (1). mum, confirm that: as required based on any ICANet to be alysis results in the and then confirmation their CQC local team of the review re local with this exercise; it is the PICANet Clinical endent of the provider facians. Sing for investigations of investigations, will be added to the	Provider CEO** ** It is accepted that acknowledgement of receipt of letter may come from an appropriate representative of the CEO such as clinical governance lead or another nominee.	Within 10 working days

Stage	What action?	Negative outlier process	Who?	Timelines
	It is the responsibility of the organisation and fund this review and to ensure that governance surrounding the exercise is must share the findings of the review will publication and may also share it with Correlevant regulators and Quality Improve location of provider. For providers locate of the outcomes and actions from the infinite provided to the CQC. Proceed to Stage 8 If no acknowledgement of receipt provided to working days proceed to Stage 7.	the information in place. The provider th PICANet for ommissioners, ment bodies based on ed in England, a copy vestigation should also		
7	Reminder letter sent to CEO (if required letter should be sent to the CE national organisations that PICANet not on location of provider. If no response is received within 5 works reminder letter, then notification of non-reported by PICANet to the national organisation of provider.	in 10 working days, a CO copying in the ified in Stage 5 based ing days of the compliance should be	PICANet	Within 5 working days

Stage	What action?	Negative outlier process	Who?	Timelines
	Publication			
	Public disclosure of comparative information providers (e.g. PICANet State of the National publication online).			
8	Note: Publication will not be delayed whe investigations to be completed by the printer investigations, findings and recommend online as an addendum or footnote whe becomes available from the provider. In response from the provider this will be at the outlier analysis.	ovider. A report of ations will be added n it subsequently the case of no	PICANet	N/A

Appendix A Table 2: Contacts for confirmed statistical negative outlier status and / or notification of non-compliance with outlier management process³

Location of	Organisations and their contact details
organisation	Personnel and email address should be checked before use
England (NHS)	HQIP: Notify the HQIP project manager and associate director. HQIP contact details can be found at: www.hqip.org.uk/about-us/our-team/) and HQIP NCAPOP Director of Operations, Jill Stoddart (jill.stoddart@hqip.org.uk).
	CQC: clinicalaudits@cqc.org.uk ⁴
	NHS England: england.clinical-audit@nhs.net
England (non-NHS)	CQC: clinicalaudits@cqc.org.uk ⁷
Wales	Welsh government: wgclinicalaudit@gov.wales Welsh Health Specialised Services Committee: kevin.francis@gov.wales and Caroline.Lewis@gov.wales
	Healthcare Inspectorate Wales: hiw@gov.wales *
	Improvement Cymru: (029) 2022 7744 or Dr. John Boulton, Director of NHS Quality Improvement and Patient Safety / Director, Improvement Cymru John.Boulton2@wales.nhs.uk

³ This list will be updated by PICANet on an at a minimum annually basis as Governance and staffing change

⁴ Using the <u>outlier template</u> (available from <u>https://www.hqip.org.uk/outlier-management-for-national-clinical-audits/</u>) and include a copy of the current PICANet Outlier Policy.

Scotland	National Specialist and Screening Directorate (NSD), NHS National Services Scotland: Sarah McKnight, Programme Manager nss.specialistservices@nhs.scot
	Programme Lead for the National Hub for Reviewing and Learning from the Deaths of Children and Young People, NHS Healthcare Improvement Scotland his.cdrnationalhub@nhs.scot *
Northern Ireland	Health and Social Care (HSC) Strategic Planning and Performance Group of the Department of Health (SPPG): SPPGcommunications@hscni.net*
	The Regulation and Quality Improvement Authority (RQIA) RQIA, Belfast: 028 9536 1111 or info@rqia.org.uk *
	Health and Social Care Quality Improvement (HSCQI): ihub@hscni.net *
Republic of Ireland	NOCA contacted via Irish Paediatric Critical Care Audit Manager (Karina Hamilton <u>karinahamilton@noca.ie</u>) and Head of Data Analytics and Research (Fionnola Kelly <u>fionnolakelly@noca.ie</u>)

^{*}Where generic emails are listed it is recommended to contact the address initially to ask them to advise on a specific recipient

9 Appendix B – Management process for potential positive performance outliers

Appendix B Table 1: Management process for potential positive performance outliers

Stage	What action?	Positive performance outlier process	Who?	Timelines
Stage	PICANet internal checks Where a provider has been in performance outlier, it is important internal checks relating to date performed to ensure there is status. The internal checks include, but are not limited to ensure the programming errors Review of provider data	identified as a <i>potential</i> positive portant that PICANet undertake ata handling and analyses ano error in analysis causing the PICANet undertake should	Who?	Timelines
1	status) Review of data to identify potential outlier status su systematic data complet adjustment, differences of and/or changes over the Analyses may include: case-mix of patie or proportion of admorare;	y any potential drivers for the uch as errors, data completeness, ion issues, suitability of risk compared with national averages reporting period. Ints; Inissions discharged for palliative are provided during admissions as grouping;	PICANet	Within 10 working days

Stage	What action? Positive perfo	rmance outlier process	Who?	Timelines
	missing data;			
	 clinical characteristics of the PI 	CU population, for		
	example, primary reason for PI	CU admission;		
	 descriptive characteristics of th 	e PICU population,		
	for example, age distribution of	patients;		
	 key data of interest, for example 	e, healthcare		
	associated infections (HCAI), u	nplanned		
	extubations, emergency readm	issions, length of		
	stay, ventilation status;			
	 any other analyses deemed pe 	rtinent.		
	If a unit has been a positive outlier in the p	revious consecutive		
	year then data analyses may be expanded	I to include a focus		
	on whether the clinical and demographic characteristics of			
	patients admitted in the most recent year is comparable with			
	admissions in the two years prior.			
	Potential outlier status not maintained – po	tential positive		
	performance outlier status is not maintaine	ed, data and results		
	are updated; details formally recorded and	process closed.		
	Potential outlier status maintained – poten	tial positive		
	performance outlier status remains. Proce	ed to Stage 2.		

Stage	What action?	Positive performance outlier process	Who?	Timelines
		ed of <i>potential</i> outlier status ian at the provider organisation should be		
	this may be by lefollowed up by lefollowed			
	status w	clude: tion of potential positive performance outlier which is yet to be confirmed; the ce to where the PICANet outlier policy can be and details of where we are up to in the process;		
2	informin	estion that the Lead Clinician considers g their local Clinical Audit and Effectiveness no may be able to assist with the response and .	PICANet Co-PIs & Senior Statistician	Within 5 working days
		est for the provider to: confirm the accuracy and completeness of data submitted to PICANet (this is required in order to ensure the statistical validity of the outlier status) ⁵ ; comment on the analyses provided in the notification; provide any insights into the positive outlier status which may be useful to share as good practice;		
	Cont.			

⁵ If the unit was a positive outlier in the previous year's report then this can focus on the most recent year as data from the earlier years in the reporting period will already have been confirmed complete and accurate.

Stage	What action?	Positive performance outlier process	Who?	Timelines
	Relevant data and an available to the Lead insights into good prapositive outlier status Sensitivity and Plan; A description averages; Details of palling national averages PIM score commay influence PIM score sur with high PIM for further exp	alyses from Stage 1 will be made Clinician to aid with the provision of ctice which may be underpinning the This may include, but is not limited to: alyses as detailed in the Statistical Analysis of case-mix compared with national ative care discharges compared with ages; inpleteness and explanation of how this the potential outlier status; inmaries and a list of event IDs for cases scores where the patient survived PICU		

Stage	What action?	Positive performance outlier process	Who?	Timelines
Stage 3	Provider response to potent Lead Clinician to respond to should include:	the notification. The response curacy and completeness of data and specifically in relation to PIM ge status; and status analyses provided, for positive outlier status may be alliative care discharge practice, so share as good practice (e.g. as in place; unit culture; or, specific	Who? Provider Lead Clinician	Within 25 working days

_

⁶ If the unit was a positive outlier in the previous year's report then this can focus on the most recent year as data from the earlier years in the reporting period will already have been confirmed complete and accurate.

Stage	What action?	Positive performance outlier process	Who?	Timelines
	PICANet review of respons	se		
		of the letter from Stage 3 to the I Advisory Group and the PICANet		
	With clinical input as require of Lead Clinician's response	d, PICANet will undertake review to determine:		
4	data required updates-and repositive outlier status. In this updated and details formally Lead Clinician is notified in visent to the Chair of the PICA the PICANet Clinical Advisor Positive performance outlier Confirmation of positive performance as a as requiring updates but re-assertion of the PICANet Clinical Advisor Positive performance outlier Confirmation of positive performance as a sequiring updates but re-assertion of the PICANet Clinical Advisor Positive performance outlier Confirmation of positive performance as a sequiring updates but re-assertion of the PICANet Clinical Advisor Positive performance outlier Positive performance outlier PICANet Clinical Advisor PICANET POSITIVE PERFORMANCE PERF	recorded by PICANet and the vriting. A copy of the letter will be Net Clinical Advisory Group and Process closed.	PICANet	Within 20 working days

Stage	What action?	Positive performance outlier process	Who?	Timelines
5	Lead Clinician contacte confirmed statistical out a letter formally notifying. The formal notification of the formation of statistical out a status; Reference to where found and details of the detail	the PICANet outlier policy can be where we are up to in the process; at PICANet will be publishing nance that will identify providers; ate of PICANet publication and the confirmed statistical outlier status adividuals within their regional network out not with other colleagues outside of a PICANet Report is published; a statistical analyses as an attachment; ous correspondence and the response than provided in Stage 3 including any	PICANet Co-PIs	Within 5 working days

Stage	What action?	Positive performance outlier process	Who?	Timelines
	A copy of the letter will be sent to the provider organisation CEO and Medical Director, the Chair of the PICANet Clinical Advisory Group and the PICANet Clinical Advisor.			
	If the provider is an NHS Enginformed of the confirmed sta	gland PICU, then HQIP will also be atus.		
	Publication			
	Public disclosure of compara providers (e.g. PICANet Stat publication online).	ative information that identifies e of the Nation Report, data		
6	•	entified, wider dissemination of n of these into PICANet's quality resources.	PICANet	N/A
	•	be identified following publication port, this can be added as an it becomes available.		

10 Appendix C – Management process for 'Alert' status

Appendix C Table 1: Management process for 'alert' status

Stage \	What action? 'All	ert' status Who?	Suggested timelines
1	PICANet internal checks A providers is classed as having a performance indicator 'alert' if they are identified as a potent negative outlier on a repeat of the formal outlier analysis using only the most recent calendar yidata in the reporting period. Where an 'alert' status is raised it is important PICANet undertake internal checks relating to handling and analyses performed to ensure the error in analysis causing the status. The interchecks PICANet undertake should include, but limited to,: Validation of statistical programs to check and/or programming errors; Review of provider data quality and complifor relevant fields (including PIM variables discharge status). 'Alert' status not maintained — 'alert' status is a confirmed, data and results are updated; detain formally recorded and process closed. 'Alert' status maintained — 'alert' status remain Proceed to Stage 2.	ce ntial er year of that data nere is no nal ut are not for bugs leteness and unit not ils	

Stage	What action? 'Alert' status	Who?	Suggested timelines
Stage 2	Provider notified of 'alert' status The Lead Clinician at the provider organisation should be informed of the 'alert' status; this may be by letter or phone; if by phone then this will be followed up by letter. The letter will include: • notification of 'alert' status; • reference to where the PICANet outlier policy can be found and details of which point we are up to in the process; • a request for a written acknowledgement of the notification letter (Stage 3); • for NHS PICUs in England: notification that PICANet will inform CQC, NHS England and HQIP of the 'alert' status; • for private PICUs in England: notification that PICANet will inform CQC of the 'alert' status; • an explanation that there is no mandated formal notification or escalation beyond the relevant clinical team (and the relevant bodies above for PICUs in England) being notified; • an explanation that the expectation is that the provider should use the information as part of	PICANet Co-PIs & Senior Statistician	
	· ·		

What action?	'Alert' status	Who?	Suggested timelines
 a suggestion that the Lead Clinici- informing the Trust's Clinical Audi Effectiveness team who may be a with the response and process. 	t and		
 for PICUs in England (where addition will be informed), a suggestion that management be informed as per processes, in addition to the local and Effectiveness team, prior to Finotifying relevant bodies*. 	at senior Trust Clinical Audit		
A copy of the letter will be sent to the Charles PICANet Clinical Advisory Group and the Clinical Advisor.			
* PICANet will give a date that they will contact the addit will be the Clinical Lead's responsibility to ensure that rewithin their Trust are informed prior to this date.			

Stage	What action?	'Alert' status	Who?	Suggested timelines
3	Provider acknowledgement of notifical response should include: Confirmation of receipt of the notifical confirmation as part of their intermediate in the provider with the providers in England: confirmation as part of their intermediate in England: confirmation and Effectiveness senior management are aware of status or will be made aware prion which PICANet will inform the bodies listed in Stage 2.	otion. The otification; will use the hal quality mation that the team and/or of the 'alert' or to the date	Provider Lead Clinician	Within 20 working days

Stage	What action?	'Alert' status	Who?	Suggested timelines
Stage	Relevant bodies informed of 'alert state' Contact details can be found in Appendix All organisations should confirm receipt or notification. Following notification of relevant bodies, is proceed to public disclosure of comparative information that identifies providers as new outliers in the State of the Nation Report. Relevant bodies by location of provided England (NHS): PICANet to inform CQC† and HQIP* as England Using the CQC outlier template available from https://www.hqip.org.uk/outlier-management-for-national- Inform HQIP via email prior to, or at the same time as, resident to inform CQC† Using the CQC outlier template available from https://www.hqip.org.uk/outlier-management-for-national- Using the CQC outlier template available from https://www.hqip.org.uk/outlier-management-for-national-	A Table 2. If the PICANet will Ve gative Ind NHS clinical-audits/. notifying CQC.	Who? PICANet	

Stage	What action? 'Alert' statu	s Who?	Suggested timelines
	Publication		
5	Public disclosure of comparative information that identifies providers (e.g. PICANet State of the Nation Report, data publication online).	PICANet	

11 Appendix D – Performance indicator consideration

Appendix D Table 1: Assessment of key metrics as performance indicators for outlier detection⁷

	Metric	Metric definition ⁸	Target (expected performance)	Benefits	Drawbacks	Conclusions
1a	Case ascertainment	Numerator: Number of admissions recorded on the PICANet database Denominator: Number	100%	Clear target	Measure not based on quality of care but on quality of reporting Estimated value across whole of audit based on a subsample of months	Considered unsuitable for outlier analysis as does not meet the criteria in terms of clear relationship between
		of admissions recorded at PICU. Presented as a percentage.			throughout the year	indicator and quality of care.

⁷ The published version of the Specialised Services Level 3 Paediatric Critical Care Quality Dashboard 2023/24 at the time of writing does not include targets therefore targets referenced in this document are based on the 2021/22 Dashboard. Correspondence with NHS England QCRS regarding the lack of more recent targets has led to the Metric Development Team advising to continue to the use the 2021/22 targets unless otherwise advised, at which point this document would be updated and up-versioned.

⁸ Further details of metrics can be found in the PICANet Key Metric Definitions document available from: https://www.picanet.org.uk/about/policies/

	Metric	Metric definition ⁸	Target (expected performance)	Benefits	Drawbacks	Conclusions
1b	Timeliness of	Numerator: Number of	100%	Standard exists (within	Measure not based on quality of care but	Considered unsuitable
10	data	admission records		England): NHS	on quality of reporting	for outlier analysis as
	completeness	completed on		England Specialised		does not meet the
		PICANet database		Services PICU Quality	Can be skewed by technical issues out of	criteria in terms of clear
		within two months of		Dashboard 2021/2022	PICU staff's control	relationship between
		discharge		target 100% (PIC010a)		indicator and quality of
				(9)		care.
		Denominator: number				
		of admission records				
		on PICANet database				

	Metric	Metric definition ⁸	Target (expected performance)	Benefits	Drawbacks	Conclusions
2	Specialist paediatric transport services (SPTS) emergency retrieval mobilisation times	Numerator: The time from the point at which the clinicians agree that the child requires PIC transport to the time the SPTS team set off in the ambulance (or helicopter / plane) for what are called 'non-elective' or urgent transports. Denominator: Total number of children transported	95%	Standard exists (within England): NHS England Specialised Services PICU Quality Dashboard 2021/2022 target for 95% of cases achieving the standard (PIC14i) (9)	On occasion transport may be strategically delayed due to appropriate risk-based triaging which would mean the mobilisation target is missed but the team are providing good quality care Measure of system capacity more than quality of care The DEPICT study found no evidence that reducing time to bedside would improve survival (with mobilisation being one component of time to bedside) Risk adjustment not accounted for in standards Starting the journey is only one part of timely access.	Considered unsuitable for outlier analysis as does not meet the criteria in terms of clear relationship between indicator and quality of care. Additionally, whilst there is currently a standard available, it is recognised that this is aspirational at present (10).

	Metric	Metric definition ⁸	Target (expected performance)	Benefits	Drawbacks	Conclusions
3	Emergency readmission within 48 hours (to same PICU)	Numerator: Any unplanned admissions to the discharging PICU within 48 hours of discharge are considered emergency readmissions Denominator: Total number of admissions to PICU		Emergency readmissions are an established metric both for PICU and other specialities across the NHS Standard exists (within England): NHS England Specialised Services PICU Quality Dashboard 2021/2022 target <2% emergency readmissions to PICU	Approximately 93% of patients discharged from PICU are discharged to another ward within the same hospital or to another hospital (11). This means that the metric is highly dependent on the designation of the funded beds within the PICU (e.g. whether it has designated Level 2 beds) and its supporting local care facilities rather than necessarily being a reflection of the quality of care provided by a PICU. Rare event which affects approximately 1.6% of all admissions (12) so may not	Considered unsuitable for outlier analysis as does not meet the criteria in terms of clear relationship between indicator and quality of care.
		Presented as a				
		percentage			Ongoing research work is investigating the impact of the various contributory factors on emergency readmissions.	

	Metric	Metric definition ⁸	Target (expected performance)	Benefits	Drawbacks	Conclusions
4	Unplanned extubations in PICU	Numerator: Number of unplanned extubation events Denominator: Total number of days of invasive ventilation Presented as number of unplanned extubations per 1,000 invasively ventilated days	<5 per 1,000 ventilated days	Within unit measure which is not impacted by wider organisational influence Interest within the clinical community as most commonly occurring adverse event NHS England Specialised Services PICU Quality Dashboard 2021/2022 target <5 per 1,000	Relatively new data item and interpretation of the definition incorporates an element of subjectivity so data quality may not yet be to up to the required standards Rare event with 4.5 unplanned extubations per 1,000 intubated days (12) so may not occur frequently enough to give statistical power May be linked to the sedation policy of the PICU.	PICANet presented this metric against the target for the first time in the 2023 State of the Nation Report. PICANet will review the data quality for the metric as well as whether appropriate statistical power would be available for the metric to be included in a formal outlier analysis in future years.
				ventilated days (PIC08a) (9)		

	Metric	Metric definition ⁸	Target (expected performance)	Benefits	Drawbacks	Conclusions
	Risk-adjusted	Numerator. The	Confidence	Risk adjustment model	There are limitations to the current risk	Despite the limitations in
5	in-PICU	observed number of	interval around the	available via PIM3 (7).	adjustment model which may mean that	relation to current tools
	mortality	deaths for a provider	SMR to include		case-mix is not fully adjusted for (e.g.	available for risk
			the value one or to	Observed mortality is	PIM3 does not take into account certain	adjustment, this metric
		Denominator: Number	sit entirely below	an objective, robust	life-limiting syndromes or co-morbidities	is considered suitable
		expected (as	the value one; this	outcome measure	which now form a significant proportion of	for outlier analysis as
		predicted by the risk-	would mean that,	which can be externally	PIC admissions).	clear relationship
		adjustment model,	taking into account	verified if required.		between indicator and
		Paediatric Index of	uncertainty, we		Recalibration of the risk adjustment	quality of care (although
		Mortality 3, PIM3) (7).	anticipate that the	It is widely	model to take into account changing	interpretation must be
		Presented as	number of	acknowledged that	patient case mix and improvements in	mindful of the limitations
		standardised mortality	observed deaths	there is a clear	survival can be sensitive to changes in	noted).
		ratio (SMR).	was less than or	relationship between	the data.	
			equal to the	mortality and quality of		
		More details of SMR	number of	care once case-mix has		
		interpretation are	expected deaths.	been accounted for		
		provided in the		through appropriate risk		
		footnote ⁹		adjustment		

_

⁹ Should observed mortality be equivalent to expected mortality (as defined by PIM3) then the SMR would be one. SMRs lower than one indicate better than expected performance and SMRs higher than one indicate poorer than expected performance.

12 Appendix E - Multiple testing

An important statistical consideration when looking at multiple PICUs is the impact of multiplicity on the number of providers identified as potential negative outliers due to chance alone (i.e. a false detection). Multiple testing (also called multiplicity or the multiple comparison problem) occurs when a number of statistical tests are performed simultaneously, as is the case when many providers are compared in the PICANet outlier analysis. The impact of multiplicity is an inflation of the Type I error rate (meaning our risk of falsely identifying a provider as a potential outlier is higher); specifically the larger the number of tests performed, the larger the Type I error. This must be taken into account when setting control limits and considering the false positive rate (see Figure 1).




Figure 1: Graph showing impact of multiplicity on Type I error rate

Footnote: Calculated using $\alpha_{FWER} = 1 - (1 - \alpha)^m$, where α_{FWER} is the family-wise error rate (or overall Type I error rate, α is the Type I error rate for an individual provider and m is the number of providers examined (in this case 31).

For PICANet (with 31 providers), the Type I error rate associated with the plotted 99.9% control limits inflates from 0.1% to 3.1% (meaning our control limits are actually equivalent to 96.9% control limits). This is the lowest Type I error rate we can achieve with the current number of providers included in analysis. This rate means that there could be one provider per analysis which is falsely detected as a potential negative outlier and has 'alarm' status raised, consequently we may be over-identifying potential outliers. Additionally, when detecting

potential outliers, we would rather make a false detections than find a falsely reassuring result (i.e. missing identification of a true outlier), and so our approach is conservative.

Multiplicity is the reason that PICANet do not employ an 'alert' status based control limits set to two standard deviations. Were we to additionally plot 95% confidence limits, these would actually equate to 20.4% control limits and the associated Type I error rate would rise from 5% to 80.6% meaning that around 25 providers could have a false 'alert' per analysis. This is clearly impractical and uninformative.

13 Appendix F – Document and review history

Appendix F Table 1: Document History

Version	Author leading updates	Date	Comments
1.0	Hannah Buckley	03/05/2019	Based on an amalgamation of earlier (unversioned) policies from 2005 and 2015 created and updated by Gareth Parry, Roger Parslow, Melpo Kapetanstrataki and Victoria Hiley taking into account HQIP guidance.
2.0	Hannah Buckley	14/03/2022	Expansion of management of potential positive and negative outliers section to add clarity and ensure is in line with minimal national standards.
			Numerous updates, and minor corrections / clarifications to phrasing / typography.
			Removal of some extraneous detail (such as on case ascertainment) either entirely or to Appendices.
			'Alert' status updated to be based on SMR and funnel plot analysis for most recent single year of data.
			Notification that RSPRT plots may be presented in the Annual Report from 2022.
			Updating of PICU metric targets in Appendix A Table 1 to be based on 2021/2022 PICU Metric Definitions and/or PCCS Standard 2021 as appropriate.

2.1	Chris Leahy	27/09/2022	Management of SMR positive potential outliers brought in line with process established in v2.0 for managing negative outliers. Updated management process for UK nations and ROI and key metrics.
3.0	Hannah Buckley	10/07/2023	Updated introduction to refer to devolved nations and ROI in addition to England. Specifying throughout and in title that policy applies to Level 3 designated units only. Cross-reference to the statistical analysis plan incorporated. Addition of notification to HQIP and CQC of 'alert' level in line with HQIP guidance. Positive outlier process reviewed, simplified and separated out from negative outlier process. Additional information added to Stage 1 checks for potential outliers. Additional consideration for repeated positive outliers in consecutive years. Reorganisation of Sections 3 and 4 including tables detailing outlier management moved to Appendices. Update to devolved nations contacts for negative outlier management process.

			Inclusion of CQC into acknowledgement from provider CEO in Stage 6 of the negative outlier management process in line with HQIP guidance. Updated references to NHS Improvement to NHS England (NHS Impact) and corresponding contact details. Movement of document and review history to Appendix. Updating unplanned extubations rate reference to the PICANet State of the Nation Report to PICANet State of the Nation Report throughout.
4.0	Hannah Buckley	04/07/2024	References updated. Appendices re-ordered. Contacts updated. Small additions, text alterations and rearrangements throughout for clarity. Removal of text and footnotes which are no longer relevant. Addition of non-participation status and reporting in line with HQIP updated guidance. Addition for unplanned extubations to be considered for suitability as an outlier performance indicator in future. Clarification that PICANet will publish regardless of whether investigations have been completed or not.

Removal of requirement to inform CEO and Medical Director until confirmed negative outlier Additional suggestion throughout all management processes that local Clinical Audit and Effectiveness team be informed. Additional requirement for PICANet to check contact details of relevant bodies prior to sending any notifications. Additional requirement for outcomes and actions from any review to be shared with PICANet to be published alongside State of the Nation Report (and to be shared with CQC where provider located in England). Change of terminology from positive outlier to positive performance outlier New Appendix C added detailing the management process where an 'alert' status is raised. Inclusion of metric definitions in performance indictor considerations.

Appendix F Table 2: Review history

Next review date	Reviewed by	Date completed
Oct 2021	HB	14/10/2021
Sep 2022	CL	27/09/2022
Mar 2023	НВ	10/07/2023
Mar 2024	HB	06/08/2024
Jun 2025		